



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres**  
**Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa07ATEX0268X/1**

4 Equipment or Protective System: **Flameproof Pressure Switch**

5 Manufacturer: **Kaustubha Udyog**

6 Address: **7, Parichaya Society, 1000/6D, Navi Peth, Pune 411 030, India**

7 This supplementary certificate extends EC – Type Examination Certificate No. **Baseefa07ATEX0268X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.




Baseefa Customer Reference No. **5756**

Project File No. **10/0165**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa Ltd  
Registered in England No. 4305578. Registered address as above.

  
 R S SINCLAIR   
DIRECTOR  
On behalf of  
Baseefa



13

## Schedule

14

**Certificate Number Baseefa07ATEX0268X/1**

15 **Description of the variation to the Equipment or Protective System**

### Variation 1.1

To permit the marking of a revised T85°C Temperature Classification.

### Variation 1.2

To confirm that the equipment covered by this certificate now meets the requirement of EN 60079-0: 2009, EN 60079-1: 2007 and EN 60079-31: 2009.

The marking is now modified as follows :-

⊕ II 2 GD Ex d IIC Gb Ex tb IIIC Db T85°C (-20°C ≤ Ta ≤ +60°C) IP66

### Variation 1.3

An alternative sensing capsule operating on temperature.

### Variation 1.4

Mechanical changes to the external operating mechanism.

16 **Report Number**

Baseefa Certification Report GB/BAS/ExTR 10.0267/00

17 **Special Conditions for Safe Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Issue	Date	Description
A24 BF 001 Sheets 1 to 4	01	07.04.10	G.A. Flameproof Pressure Switch and Options.

These drawings are common to and held with IECEx BAS 07.0096X